


## Orientation Drawing

* Height	Orientation	Feature Description
10'-6"	180°	BAB - banner arm mounting provision.
10'-6"	0°	BAB - banner arm mounting provision.
	90°	FG-S - duplex GFCI receptacle with weatherproof cover.
1'-10-1/2"	90°	FG-S - box less electric with weatherproof cover.
1'-2-3/4"	90°	FG-S - duplex GFCI receptacle with weatherproof cover.

Post	Height
PA RF16 11	11'-0"

\*Height from bottom of base / anchor plate



sign & date	<u>Customer Approval</u>
print	

L-6169A

date: 11/2/04	dwg. no.: OD-115510
---------------	---------------------

### ANTIQUE Street Lamps


2011-B W. Rundberg Lane    •    Austin, TX 78758-5946  
 (512) 977-8444                      •                      Fax (512) 977-9622

## Orientation Drawing

* Height	Orientation	Feature Description
10'-6"	180°	BAB- banner arm mounting provision.
10'-6"	0° 90°	BAB 30H4 - bolt on 1" x 30" banner arm with half sphere finial. FG-S - duplex GFCI receptacle with weatherproof cover.
7'-6"	0°	BAC19 BACD5-1/2 27H4 BBA(.72)- clamp on 1" x 27" banner arm with half sphere finial and breakaway coupling.
1'-10-1/2"	90°	FG-S - box less electric with weatherproof cover.
1'-2-3/4"	90°	FG-S - duplex GFCI receptacle with weatherproof cover.

Post	Height
PA RF16 11	11-0"

\*Height from bottom of base / anchor plate



sign & date	<u>Customer Approval</u>
print	_____

L-6169B

date: 11/2/04      dwg. no.: OD-115511

### ANTIQUE Street Lamps


2011-B W. Rundberg Lane    • Austin, TX 78758-5946  
 (512) 977-8444                      • Fax (512) 977-9622

## Orientation Drawing

<u>* Height</u>	<u>Orientation</u>	<u>Feature Description</u>
10'-6"	— — 0°/180° 90°	BAB 30H4 - bolt on 1" x 30" banner arm with half sphere finial. FG-S - duplex GFCI receptacle with weatherproof cover.
7'-6"	— — 0°/180°	BAC28 BACD5-1/2 27H4 BBA- clamp on 1" x 27" banner arm with half sphere finial and breakaway coupling.
1'-10-1/2"	— — 90°	FG-S - box less electric with weatherproof cover.
1'-2-3/4"	— — 90°	FG-S - duplex GFCI receptacle with weatherproof cover.

Post	Height
PA RF16 11	11-0"

\*Height from bottom of base / anchor plate



sign & date	<b><u>Customer Approval</u></b>
print	

date:	11/2/04	dwg. no.:	OD-115512
<b>ANTIQUE Street Lamps</b>			
2011-B W. Rundberg Lane    ° Austin, TX 78758-5946 (512) 977-8444                    ° Fax (512) 977-9622			


L-6169C

## Orientation Drawing

<u>* Height</u>	<u>Orientation</u>	<u>Feature Description</u>
8'-0"	180°	BAB - banner arm mounting provision.
8'-0"	0° 90°	BAB - banner arm mounting provision. FG-S - duplex GFCI receptacle with weatherproof cover.
1'-10-1/2"	90°	FG-S - box less electric with weatherproof cover.
1'-2-3/4"	90°	FG-S - duplex GFCI receptacle with weatherproof cover.

Post	Height
PA RF16 8-6	8'-6"

\*Height from bottom of base / anchor plate



sign & date	<b><u>Customer Approval</u></b>
print	_____

L-6169D/L-6169G

date:	11/2/04	dwg. no.:	OD-115513
-------	---------	-----------	-----------


**ANTIQUE Street Lamps**  
 2011-B W. Rundberg Lane    ◊ Austin, TX 78758-5946  
 (512) 977-8444                    ◊ Fax (512) 977-9622

## Orientation Drawing

* Height	Orientation	Feature Description
8'-0"	180°	BAB- banner arm mounting provision.
8'-0"	0° 90°	BAB 30H4 - bolt on 1" x 30" banner arm with half sphere finial. FG-S - duplex GFCI receptacle with weatherproof cover.
5'-0"	0°	BAC19 BACD5-1/2 27H4 BBA(.72)- clamp on 1" x 27" banner arm with half sphere finial and breakaway coupling.
1'-10-1/2"	90°	FG-S - box less electric with weatherproof cover.
1'-2-3/4"	90°	FG-S - duplex GFCI receptacle with weatherproof cover.

Post	Height
PA RF16 8-6	8'-6"

\*Height from bottom of base / anchor plate



sign & date	<b>Customer Approval</b>
print	

L-6169E/L-6169H


date:	11/2/04	dwg. no.:	OD-115514
<b>ANTIQUE Street Lamps</b>			
2011-B W. Rundberg Lane • Austin, TX 78758-5946 (512) 977-8444 • Fax (512) 977-9622			

## Orientation Drawing

* Height	Orientation	Feature Description
8'-0"	0°/180° 90°	BAB 30H4 - bolt on 1" x 30" banner arm with half sphere finial. FG-S - duplex GFCI receptacle with weatherproof cover.
5'-0"	0°/180°	BAC28 BACD5-1/2 27H4 BBA- clamp on 1" x 27" banner arm with half sphere finial and breakaway coupling.
1'-10-1/2"	90°	FG-S - box less electric with weatherproof cover.
1'-2-3/4"	90°	FG-S - duplex GFCI receptacle with weatherproof cover.

Post	Height
PA RF16 8-6	8-6"

\*Height from bottom of base / anchor plate



sign & date	<u>Customer Approval</u>
print	

L-6169F/L-6169J

date: 11/2/04	dwg. no.: <b>OD-115515</b>
------------------	-------------------------------

### ANTIQUE Street Lamps

2011-B W. Rundberg Lane • Austin, TX 78758-5946  
 (512) 977-8444 • Fax (512) 977-9622











